

June 2000

OceanMaster Clipper Plus Gloss

Description

Premium quality one pack gloss varnish with high level of UV absorber. Recommended for exterior or interior use in all marine applications.

For use on

Bare wood and upgrading of existing varnish.

Direction for use

Product designed for application by spray, roller or brush.

Conventional Spray	Pot Pressure	:	40 to 60 PSI
Wet Film Thickness		:	90 microns
Dry Film Thickness		:	40 microns
Coverage		:	10 to 11 sq.m/L
Thinner		:	T100
Recoat		:	8 hrs min, 24 hrs max
Aged Recoat		:	Sand Surface
Finish		:	Clear Gloss

Health and Safety

Provide adequate ventilation during use. Avoid contact with skin and eyes. Avoid breathing dust vapour or spray. Wear eye protection and gloves during use.