

June 2000

OceanMaster Clipper Plus Satin

Description

A single-pack modified alkyd polymer resin varnish designed for application to the interior finishing of marine craft. It is tougher than traditional marine varnish.

For use on

Bare wood and upgrading of existing varnish. On bare wood, it is recommended to build up coats with OceanMaster Clipper Plus Gloss, then finish with one coat of satin for best results.

Direction for use

Product designed for application by spray, roller or brush.

Conventional Spray	Pot Pressure	:	40 to 60 PSI
Wet Film Thickness		:	120 microns
Dry Film Thickness		:	40 microns
Coverage		:	10 to 11 sq.m/L
Thinner		:	T100
Recoat		:	8 hrs min, 24 hrs max
Aged Recoat		:	Sand Surface
Finish		:	Satin

Health and Safety

Provide adequate ventilation during use. Avoid contact with skin and eyes. Avoid breathing dust vapour or spray. Wear eye protection and gloves during use.