



## **OceanMaster Clipper Plus Gloss**

### Description

Premium quality one pack gloss varnish with high level of UV absorber. Recommended for exterior or interior use in all marine applications.

### For use on

Bare wood and upgrading of existing varnish.

### Direction for use

Product designed for application by spray, roller or brush.

Conventional Spray	Pot Pressure	:	40 to 60 PSI
Wet Film Thickness		:	90 microns
Dry Film Thickness		:	40 microns
Coverage		:	10 to 11 sq.m/L
Thinner		:	T100
Recoat		:	8 hrs min, 24 hrs max
Aged Recoat		:	Sand Surface
Finish		:	Clear Gloss

### Health and Safety

Wear full acid protective gear including gloves and goggles. Use with adequate ventilation and do not use near naked flames.